

# Lingfield Education Trust Asthma Policy

Policy Version Control					
Policy type	Academy Trust				
Policy prepared by (name and designation)	Nick Blackburn CEO				
Last review date	November 2016				
Description of changes	None				
Date of Board of Directors approval	30 <sup>th</sup> January 2018				
Date released	31 <sup>st</sup> January 2018				
Next review date	Spring 2019				

### Name of school:

# These named staff members have volunteered to be responsible for maintaining the emergency inhaler kit

(Minimum of 2 staff)

Name	
1	
Name	
2	
Name	
3	
Name	
4	

Throughout the document 'Parent' is deemed to mean those with parental responsibility.

# From 1st October 2014 the Human Medicines (Amendment) (No. 2) Regulations 2014 will allow primary and secondary schools to voluntarily keep a salbutamol inhaler for use in emergencies.

The emergency salbutamol inhaler should only be used by children, for whom written parental consent for use of the emergency inhaler has been given, who have either been diagnosed with asthma and prescribed an inhaler, or who have been prescribed an inhaler as reliever medication. The inhaler can be used if the pupil's prescribed inhaler is not available (for example, because it is at home, broken, lost or empty).

Keeping an inhaler for emergency use will have many benefits. It could prevent an unnecessary and traumatic trip to hospital for a child, and potentially save their life. Parents and carers are likely to have greater peace of mind about sending their child to school. This policy that sets out how and when the inhaler should be used will also

protect staff by ensuring they know what to do in the event of a child having an asthma attack.

- Asthma is the most common chronic condition, affecting one in eleven children.
- On average, there are two children with asthma in every classroom in the UK.
- There are over 25,000 emergency hospital admissions for asthma amongst children a year in the UK.
- 86% of children with asthma have at some time been without an inhaler at school having forgotten, lost or broken it, or the inhaler having run out

Children should have their own reliever inhaler at school to treat symptoms and for use in the event of an asthma attack. If they are able to manage their asthma themselves they should keep their inhaler on them, and if not, it should be easily accessible to them.

If any member of staff has reason to suspect a child has undiagnosed asthma or a respiratory condition, they should notify the parents/carers, so they can take the child to a doctor.

This protocol is intended to be read in conjunction with 'Guidance on use of emergency inhalers in schools', September 2014, DfE use of emergency inhalers in schools

## The policy covers:

1	Naming volunteers – 'designated staff'
2	Supply, Storage & Disposal
3	Parental consent
4	Asthma register
5	Maintaining kits
6	Staff training
7	Recording use of emergency inhaler

1	Naming volunteers - 'designated staff'	
---	--	--

A <u>minimum</u> of two volunteer staff members to be responsible for the supply, storage, care and disposal of inhalers and spacer kits

Name 1	Name 2	

Name 3	Name 4	

One volunteer staff member to ensure the policy is followed, monitor its implementation and maintain the asthma register.

Name 1	

To enable the asthma register to be checked in an emergency situation the designated teachers must familiarise themselves, possibly with photographs, with any pupils who would be unable to give their name during an attack or be difficult to be identified by other pupils, for example - newly-arrived pupils/ non-English speaking EAL pupil /non-verbal pupil with SEN.

Schools should check they are covered by the local authority's indemnity cover for this activity or if outside local authority remit, should acquire their own cover.

2 Supply - Storage - Disposal

#### SUPPLY of one or more kits

- The Head Teacher/Head of School will provide a letter on school headed notepaper for the pharmacy, authorising the purchase of inhalers and spacers for the school. (5 spacers minimum is suggested)
- Inhalers and spacers will be bought from a pharmaceutical supplier / pharmacy (quantity depending on school or split site size 1/2/3+ emergency kits needed)
- A bag will be purchased for the emergency kit with a dry pouch/space for the paperwork and instructions
- The bag(s) will be sited appropriately for easy access NOT locked away

# An emergency inhaler kit should include:

- a salbutamol metered dose inhaler;
- at least two single-use plastic spacers compatible with the inhaler;
- instructions on using the inhaler and spacer/plastic chamber;
- instructions on cleaning and storing the inhaler;
- manufacturer's information;
- a checklist of inhalers, identified by their batch number and expiry date, with monthly checks recorded;
- a note of the arrangements for replacing the inhaler and spacers (see below);
- a list of children 'the asthma register' who are permitted to use the emergency inhaler as detailed in their individual healthcare plans (IHP);

a record of administration i.e. when the inhaler has been used.

School staff can take the emergency kits on school visits and trips.

N.B. The change to the regulations only applies to schools and does not extend to allowing transport companies to have emergency inhaler kits.

#### **STORAGE**

The two or more volunteer staff members responsible for emergency inhaler kits are:

Name 1	Name 2	
Name 3	Name 4	

#### They will:

- Conduct a monthly check of the kits and record date (Appendix 1)
- Store kits below 30 degrees away from sunlight
- Order replacement inhalers before expiry date
- Oder new replacement spacer after emergency use
- Clean inhaler's plastic case after emergency use and return to kit

#### **DISPOSAL**

- School will register as a lower tier waste carrier
   <a href="https://www.gov.uk/waste-carrier-or-broker-registration">https://www.gov.uk/waste-carrier-or-broker-registration</a>
- School will dispose of spent or expired inhalers at a pharmacy

#### 3 Parental consent

#### On average, there are two children with asthma in every classroom in the UK.

- School has a procedure for identifying and regularly updating the list of those children or young people who have an inhaler prescribed. (optional Appendix 2)
- School keeps a record of parental consent on the 'asthma register' will this enables staff to quickly check whether a child is able to use the inhaler in an emergency.
- Consent is updated regularly at least annually to take account of changes to a condition. (Appendix 3)

4	Asthma Register

The emergency salbutamol inhaler should only be used by children who have:

been diagnosed with asthma, and prescribed a reliever inhaler	OR	been prescribed a reliever inhaler

**AND** have written parental consent for use of the emergency inhaler.

This information should be recorded in a child's individual healthcare plan <u>and</u> on the school's quick check asthma register (Appendix 4).

Schools ensures that the asthma register is easy to access, and is designed to allow a quick check of whether or not a child is recorded as having asthma, and consent is given for an emergency inhaler to be administered.

School may include, with parental consent, a photograph of each child, to allow a visual check to be made.

If the pupil is unknown to the staff member when breathless in an attack (new to school or a non-English speaking EAL pupil, or non-verbal pupil with SEN) then the 'designated staff member' should be able to confirm these children have consent.

#### 5 Maintaining kits

The designated staff will conduct a monthly check of the kits and record dates and reorder when necessary. (Appendix 1)

month	date	inhaler present with cap Y/N	Inhaler has doses	Inhaler date expired Y/N	Unused spacers present Y/N
			Y/N		
JAN					
FEB					
MARCH					
APRIL					
MAY					
JUNE					
JULY					
AUG					
SEPT					
OCT					
NOV					
DEC					

### 6 STAFF TRAINING

#### All staff are:

- trained to recognise the symptoms of an asthma attack, and ideally, how to distinguish them from other conditions with similar symptoms;
- aware of the asthma policy;
- aware of how to check if a child is on the register;
- aware of how to access the inhaler:
- aware of who the designated members of staff are, and the policy on how to access their help.

At least two designated members of staff have responsibility for helping to administer an emergency inhaler, e.g. they have volunteered to help a child use the emergency inhaler, and been trained to do this, and are identified in this school's asthma policy as someone to whom all members of staff may have recourse in an emergency.

School has ensured there are a reasonable number of designated members of staff to provide sufficient coverage for our school population.

We may decide to have all members of staff as designated members of staff.

We will ensure staff have appropriate training and support, relevant to their level of responsibility.

#### **Designated staff are trained to:**

- A. recognise asthma attacks (and distinguishing them from other conditions with similar symptoms)
- B. respond appropriately to a request for help from another member of staff;
- C. recognise when emergency action is necessary;
- D. administer salbutamol inhalers through a spacer;
- E. make appropriate records of asthma attacks.

We have agreed the emergency procedure to respond to an asthma attack On recognising an asthma attack the staff member will

- summon assistance by going to the nearest adult
- send for the emergency kit by adult or pupil going to the office
- the register will be checked by a staff member
- the inhaler will be administered with support from trained staff members

Salbutamol inhalers are intended for use where a child has asthma.

The symptoms of other serious conditions/illnesses, including allergic reaction, hyperventilation or choking from an inhaled foreign body can be mistaken for those of asthma, and the use of the emergency inhaler in such cases could lead to a delay in the child getting the treatment they need.

For this reason the emergency inhaler should only be used by children who have been:

A. diagnosed with asthma, and prescribed a reliever inhaler
AND parental consent has been given for an emergency inhaler to be used.
OR

B. who have been prescribed a reliever inhaler AND parental consent has been given for an emergency inhaler to be used

Asthma UK has produced demonstration films on using a metered-dose inhaler and spacers suitable for staff and children.

http://www.asthma.org.uk/knowledge-bank-treatment-and-medicines-usingyour-inhalers

Education for Health is a charity providing asthma training with the most up to date

guidelines and best practice

http://www.educationforhealth.org

The Asthma UK films on using metered-dose inhalers and spacers are particularly valuable as training materials.

http://www.asthma.org.uk/knowledge-bank-treatment-and-medicines-using-your-inhalers

#### Common 'day to day' symptoms of asthma are:

- Cough and wheeze (a 'whistle' heard on breathing out) when exercising
- Shortness of breath when exercising
- Intermittent cough

These symptoms are usually responsive to use of their own inhaler and rest (e.g. stopping

exercise). They would not usually require the child to be sent home from school or to need

urgent medical attention.

However an asthma attack requires an immediate response.

SIGNS OF AN ASTHMA ATTACK - SEE APPENDIX 7

**ACTIONS TO TAKE - SEE APPENDIX 8** 

RECORDING

'Supporting pupils with medical conditions' statutory guidance requires written

records to be kept of medicines administered to children.

Use of the emergency inhaler should be recorded. This should include where and when the attack took place (e.g. PE lesson, playground/yard, classroom), how much

medication was given, and by whom.

The child's parents must be informed in writing so that this information can also be

passed onto the child's GP. The draft letter at Annex B may be used to notify parents.

Use Appendix 9 to record emergency inhaler use in school

and

Use Appendix 3 to send letter home informing parents of situation

**Policy Review Date:** Spring 2019

Trust Asthma Policy

9

# **EMERGENCY INHALER KIT - MONTHLY CHECK**

Month	Date	Inhaler present with cap Y/N Re-order if No	Inhaler has doses Y/N Re-order if No	Inhaler date expired Y/N Re-order if No	Unused spacers present Y/N Re-order if No
JAN					
FEB					
MARCH					
APRIL					
MAY					
JUNE					
JULY					
AUG					
SEPT					
ОСТ					
NOV					
DEC					

School Name and Address Block
TO INFORM PARENTS OF
SALBUTAMOL INHALER USE
Child's name:DateDate
This letter is to formally notify you thathas had problems with
his/her breathing today and needed to use their inhaler.
They hadpuffs.
SignedPrint Name
School Name and Address Block
TO INFORM PARENTS OF
SALBUTAMOL INHALER USE
Child's name:DateDate
This letter is to formally notify you thathas had problems with
his/her breathing today and needed to use their inhaler.
They hadpuffs.
SignedPrint Name
Trust Asthma Policy

School Name and Address Block
TO INFORM PARENTS OF
EMERGENCY SALBUTAMOL INHALER USE
Child's name:
Class: Date:
This letter is to formally notify you thathas had problems with his/her breathing today.
They did not have their own asthma inhaler with them/ their own asthma inhaler was not working, therefore a member of staff helped them to use the emergency asthma inhaler containing salbutamol.
They were givenpuffs.
Yours sincerely,

# RECORD OF SALBUTAMOL INHALER ADMINISTERED IN SCHOOL / CLASS

Date	Pupil's Name	Time	Number of	Any	Signature of	Print Name
			puffs given	Reaction	Staff Dispenser	
			_			

_				_
Λи	m	m	IIV	_
Ap	w		11 A	u

# **REQUEST FORM: Request for Salbutamol Inhalers and Spacers**

#### **School name and Address Block**

(Insert Date)

In line with Department of Health *Guidance on the use of emergency salbutamol inhalers* in schools (March 2015), at <a href="https://www.gov.uk/government/publications/emergency-asthma-inhalers-for-use-in-schools">www.gov.uk/government/publications/emergency-asthma-inhalers-for-use-in-schools</a>, I would like to purchase the following equipment for use in my school. This equipment will be stored within our emergency asthma kit to be used during an emergency asthma situation (for pupils where parental consent for use of the emergency inhaler has been given, who have either been diagnosed with asthma and prescribed an inhaler, or who have been prescribed an inhaler as reliever medication):

...... Salbutamol Metered Dose Inhalers

..... Plastic Spacers

I understand that I will be charged as a retail sale (this will include VAT)

#### **HOW TO RECOGNISE AN**

### **ASTHMA ATTACK**

# The signs of an asthma attack are

- Persistent cough (when at rest)
- A wheezing sound coming from the chest (when at rest)
- Difficulty breathing (the child could be breathing fast and with effort, using all accessory muscles in the upper body)
- Nasal flaring
- Unable to talk or complete sentences. Some children will go very quiet.
- May try to tell you that their chest 'feels tight' (younger children may express this as tummy ache)

# CALL AN AMBULANCE IMMEDIATELY AND COMMENCE THE ASTHMA ATTACK PROCEDURE WITHOUT DELAY IF THE CHILD:

- Appears exhausted
- Has a blue/white tinge around lips
- Is going blue
- Has collapsed

#### **Appendix 8**

# WHAT TO DO IN THE EVENT OF AN ASTHMA ATTACK

• Keep calm and reassure the child

- Encourage the child to sit up and slightly forward
- Use the child's own inhaler if not available, use the emergency inhaler
- Remain with the child while the inhaler and spacer are brought to them
- Immediately help the child to take two puffs of salbutamol via the spacer
- If there is no immediate improvement, continue to give two puffs at a time every two minutes, up to a maximum of 10 puffs
- Stay calm and reassure the child. Stay with the child until they feel better. The child can return to school activities when they feel better
- If the child does not feel better or you are worried at ANYTIME before you have reached 10 puffs, CALL 999 FOR AN AMBULANCE
- If an ambulance does not arrive in 10 minutes give another 10 puffs in the same way

# Appendix 9 Record of any medicine administered to all children

Name of school/setting	

Date	Child/ young person's name	Time	Name of medicine	Dose given	Any reactions	Signature of staff	Print name